

Application for RVSM Approval (Airworthiness & Operational)

Public Authority for Civil Aviation- DGCAR

Form	AWR/OPS 044
Edition	Original
Revision	1
Date	1/07/2019

1. Applicant / Operator				
Name:				
Address:				
Tel:				
Contact person:				
AOC No.				
Place of Delivery:				
2. Aircraft				
Aircraft Type				
Aircraft S/N				
Aircraft registration				
Mode S Address				
		PART 1	Airworthiness	
3. Airworthiness				
3.1 The approval of RVSM systems	installatio	on is based	on:	
Type design	EASA :	STC	FAA STC	Service Bulletin
Other (Specify)				
3.2 The RVSM type design approv	al is reflec	ted in:		
		RE	MARKS	
Type Certificate/ Type Certificate	Yes		No	
Data sheet				
AFM/ AFM supplement	Yes		No	
Supplement type certificate	Yes		No	
Service Bulletin	Yes		No	
Other (specify)	Yes		No	
3.3 Approval basis for RVSM				
FAA AC 91-85 (91-RVSM)	Yes		No	
Annex to ED Decision 2012/019/R	Yes		No	
or JAA TGL 6				
Other (specify)	Yes		No	
			<u> </u>	
3.4 Aircraft Definition				
Group aeroplane	Yes		No	
Non Group aeroplane	Yes		No	

3.5 Aircraft equipment's for RVSM operations:						
		Ma	ke		Model	
Two Independent Altitude	No.1					
measurement system	No.2					
SSR transponder						
Altitude alert system						
Automatic altitude control system						
ACAS II System (with Change 7/7A						
as applicable)						
3.6 Maintenance program:						
The operator should have an establish	ed maintenance ¡	orogram that con	tains all relat	ed	S	U/S
maintenance requirements prescribed	by the manufact	urer for RVSM op	erations.			
Existing maintenance Program covers	RVSM operations		Yes	No 🗌		
New Maintenance program required			Yes	No 🗌		
The operator has to submit the report	of last Air Data S	ystem check perfo	ormed.			
Performance: Satisfactory/Unsatisfactory	ory	Date of Test				
3.7 MEL:						
The applicant has revise relevant parts	of the MEL to re	flect system requi	irements app	propriate		
for RVSM operations				-		
Existing MEL covers requirements?			Yes	No 🗌		
Revision of MEL required? Yes No						
1-2-2 1-2-						
4. Maintenance practices						
The applicant must establish procedur	es for continuing	airworthiness pra	actices cover	ing the		
following subjects (Applicant should re	fer to manual ref	ference including	chapter)			
4.1 Maintenance of RVSM equipment (adherence to manufacturer's maintenance instructions)						
Ref:						
4.2 Actions for non-compliant aeropla	ne (down-grading	g - technical log er	ntries – placa	rding - monit	toring of c	lefects -
reliability reporting - etc)						
Ref:						
4.3 Maintenance training (Initial-recur	rent-qualification	of maintenance	personnel, et	tc)		
Ref:						
4.4 Test equipment used (use of test e	quipment-handli	ng-calibration, etc	c)			
Ref:						

5. Height monitoring				
5.1 Operator procedure to monitor appropriate number of aircraft in the f	leet reflecte	ed in:		
Ref:				
	1			
5.2 Aircraft has been monitored by HMU/GMU?	Yes	No		
Part 2 Operation				
6.1 Operation Manual	Man	ual ref.	S	U/S
Does the Operations Manual Part A has RVSM section?				
Yes No				
Does the Operation Manual refers to the Standard ATC-Phraseology				
with regard to RVSM-Operation and the use of the respective wording is explained?				
Yes No				
Does the Operation Manual refers to the Equipment: that must be				
checked "operational" prior entering RVSM-Airspace?: - Two independent altitude measurement systems; - One altitude alerting				
system; - One automatic altitude control system; - One altitude				
reporting SSR-Transponder, coupled to that altitude measuring system,				
that is in operation for altitude keeping.				
Yes No				
Note: The List of circumstances that affects RVSM-capability of an				
aeroplane, shall contain at least the following: a) Failure of all automatic altitude—control systems b) Loss of redundancy of altimetry system c)				
Loss of engine-thrust requiring to descend d) Any failure of equipment				
affecting the ability to maintain cleared flight level e) Heavy turbulence				
affecting the altitude-keeping capability of the aircraft.				
Does the Operation manual contains the regional operational				
procedures including normal-and contingency procedures, covering the				
operator`s whole area of operation as specified on the AOC?				
• Europe (EUR)				
North Atlantic (NAT)				
Western Atlantic Route System (WATRS)				
Northern Canadian Airspace (NAM)				
Pacific Region (ASIA /PAC)				
Middle East (MID)				
Yes No				

6.2 Training			
Does the RVSM-Training correctly integrated?			
The RVSM-Training Module must contain comprehensive instruction of			
basic knowledge and operational procedures to get familiar with all			
aspects of operations within RVSM-Airspace.			
_			
Yes No			
6.3 Flight Planning			
For RVSM operations, instruction must be provided to the flight crew to			
review and verify the aircraft technical status reflected in the Tec log,			
to consult the airplanes Hold Item List (HIL), to verify the airplane			
dispatch status using the Minimum Equipment List (MEL) concerning			
RVSM-operation and en-route weather forecast for the detection of			
areas with heavy turbulence on the intended route.			
Yes No			
CAR CL			
6.4 Pre-flight			
Is there a procedure established and appropriately described, what			
equipment required for the operation in RVSM-Airspace has to be			
checked operational before entering RVSM-Airspace?			
Yes No			
For RVSM operations, instruction must be provided to the flight crew to			
review and verify the aircraft technical status reflected in the Techlog,			
to consult the aeroplanes Hold Item List (HIL), to verify the aeroplane			
dispatch status using the Minimum Equipment List (MEL)			
Yes No			
<u> </u>			
Aircraft External-Inspection: It shall be stated, that the external			
inspection procedure of the aeroplane shall focus on the skin-condition			
of the fuselage in the surrounding of the static sources and the			
condition of the static sources itself.			
Yes No			
The external inspection procedure shall contain all relevant equipment			
such as all static-ports, especially the condition of the fuselage skin			
around the static-ports.			
Yes No			
The equipment relevant for RVSM-Operations must be checked			
operational			
Yes No			
	i e	1	

6.5 Flight-Deck-Preparation:		
Instruction shall be provided for a comparison check between the		
indication of the two primary altimeters to be within a tolerance of 75		
ft for RVSM-Operation.		
Yes No		
6.6 In-Flight		
Altimeter setting procedures must be observed and respective		
crosschecks shall be performed in hourly intervals. Altitude		
comparison-checks during level-flight shall be stated to be within ± 200		
ft.		
Yes No		
Procedures to monitor the airplane's level-off maneuver and system		
capability at an assigned flight-level while using the automatic altitude-		
control system and the autopilot function.		
Yes No		
163 140		
Monitoring procedures shall be described, ensuring that the altitude-		
alerting system is operative.		
Yes No		
<u> </u>		
Notification to the competent Air Traffic Control Centre about the loss		
of RVSM capability by applying the respective phraseology.		
Yes No No		
6.7 Post flight		
Any malfunction affecting the RVSM-capability of the airplane, shall be		
recorded in detail in the Tech-log-System. Yes No		
Yes No		
6.8 Reporting		
For altitude deviations during RVSM-Operations, height keeping errors,		
at least the following shall be stated to be reported:		
Total vertical error of ±300 ft;		
Altimeter system error of ±245 ft;		
Deviation from assigned altitude of ± 300 ft;		
During transition phase, overshooting or undershooting of a cleared		
flight level of more than 150 ft;		
The loss of RVSM-capability ;		
The application of any contingency procedure Any malfunction in the		
automatic height-keeping system;		
Any malfunction in the altimetry system;		
Any deficiency affecting the redundancy within the altitude		
measurement system.		
Yes No		
	i	

Documents to be submitted					
Description			Applicable	Not Applicable	
a) The current FSD Form conform	nance report filled in				
b) Sections of AFM-Type certific	ate-SB etc that document RVSM appro	val			
c) Service bulletin-STC-or Major	modification approval				
d) Maintenance program that in	clude items pertinent of RVSM equipm	nent			
e) MEL					
f) Maintenance practices and pr					
	upgrading ,technical log entries, monigup	toring etc			
h) Maintenance training syllabi					
i) Test equipment used, calibrati	on				
j) Height Monitoring result					
k) Report of last Air-data System					
	tion Manual covering Par 6.1 to 6.8				
m) HMU/GMU report					
The sale of a least that all the sale	7. Applicant Compliance state			and the same	
1	entation and information submitted have			compliance	
Maintenance Manager :	ng Rules and all other applicable requir		es.		
Walliterlance Wallager .	3	Signature:			
Date:					
Flight Operation Manager:	Si	ignature:			
The second secon					
Date :					
Quality Manager:	Siį	gnature:			
Date:	FOR PACA USE ONLY				
	FOR FACA USE UNLI				
1.Airworthiness Inspector Name	a· ·				
Date:					
Si-mathama	Airathingas Danaman dation.				
Signature :	Airworthiness Recommendation:		•••••		
2.Flight Operation Inspector Na	me:				
Date :					
Signature :	Operational Recommendation:				
Signature :	operational necommendation.		•••••		
3.Flight Safety Director	APPROVED	☐ NOT APPRO\	√ED		
Flight Safety Director Name:					
Data					
Date:					
Signature and Stamp:					
Jignature and Stamp.					