



Civil Aviation Authority - Sultanate of Oman
Flight Safety Department - Personnel Licensing Section
Foreign ATO Approval Assessment Checklist - Airplane MPA
(Alternative Approval Process)

No.	Checklist A - ATO Assessment (ICAO Annex 1 Appendix 2)	YES	NO
1.0	Issue of Approval		
1.1	The issuance of an approval for a training organization and the continued validity of the approval shall depend upon the training organization being in compliance with the requirements of this Appendix 2 of annex 1		
1.2	The approval document shall contain at least the following:		
a.	Organization's name and location		
b.	Date of issue and period of validity (where appropriate);		
c.	Terms of approval.		
2.0	Training and Procedures Manual.		
2.1	The training organization shall provide a training and procedures manual for the use and guidance of personnel concerned. This manual may be issued in separate parts and shall contain at least the following information:		
a.	General description of the scope of training authorized under the organization's terms of approval		
b.	the content of the training programs offered including the courseware and equipment to be used;		
c.	Description of the organization's quality assurance system in accordance with 4		
d.	Description of the organization's facilities		
e.	The name, duties and qualification of the person designated as responsible for compliance with the requirements of the approval in 6.1		
f.	Description of the duties and qualification of the personnel designated as responsible for planning, performing and supervising the training in 6.2;		
g.	Description of the procedures used to establish and maintain the competence of instructional personnel as required by 6.3;		
h.	Description of the method used for the completion and retention of the training records required by 7		
i.	Description, when applicable, of additional training needed to comply with an operator's procedures and requirements; and		
j.	When a State has authorized an approved training organization to conduct the testing required for the issuance of a license or rating in accordance with 9, a description of the selection, role and duties of the authorized personnel, as well as the applicable requirements established by the Licensing Authority		
2.2	The training organization shall ensure that the training and procedures manual is amended as necessary to keep the information contained therein up to date		
2.3	Copies of all amendments to the training and procedures manual shall be furnished promptly to all organizations or persons to whom the manual has been issued		
3.0	Training Programs (CAR FCL).		
3.1	Type Rating (A)MPA Training Program		
a	Training Program Contents		
(1)	Training Course. An applicant for type rating shall complete a training course at an ATO.		
(2)	Theoretical Knowledge. - The type rating training course shall include the mandatory training elements for the relevant type as defined by manufacturer or in accordance with the OSD, where applicable - The training courses shall include UPRT theoretical knowledge related to the specificities of the relevant type.		
(3)	Theoretical Knowledge Examination. The applicant for type rating shall pass a theoretical knowledge examination organized by the ATO to demonstrate the level of theoretical knowledge required for the safe operation of the applicable aircraft type.		
(4)	Flight Training. - The type rating training course shall include the mandatory training elements for the relevant type as defined by manufacturer or in accordance with the OSD, where applicable - The training courses shall include UPRT flight instruction related to the specificities of the relevant type - Except for those courses giving credit for previous experience, a minimum of thirty-two (32) hours of FSTD training should be programmed for a crew of a multi-pilot airplane, of which at least sixteen (16) hours should be in an FFS operating as a crew The MCC training course shall comprise at least, as applicable: - 25 hours of theoretical knowledge instruction and exercises; and - 20 hours of practical MCC training, or 15 hours in the case of student pilots attending an ATP integrated course. An FNPT II MCC or an FFS shall be used. When the MCC training is combined with initial type rating training, the practical MCC training may be reduced to no less than 10 hours if the same FFS is used for both the MCC and type rating training.		
(5)	Skill Test. An applicant for type rating shall pass a skill test in accordance with Appendix 9 to CAR FCL to demonstrate the skill required for the safe operation of the applicable type of aircraft		



Civil Aviation Authority - Sultanate of Oman
Flight Safety Department - Personnel Licensing Section
Foreign ATO Approval Assessment Checklist - Airplane MPA
(Alternative Approval Process)

No.	Checklist A - ATO Assessment (ICAO Annex 1 Appendix 2)	YES	NO
(6)	With the exception of courses approved for ZFTT, certain training exercises normally involving take-off and landing in various configurations should be completed in the airplane rather than in an FFS. Unless otherwise specified in the OSD as established for the applicable type, this take-off and landing training should include: - At least four landings in the case of MPAs (or single-pilot high performance complex airplanes (SP HPAs)) where the student pilot has more than 500 hours of MPA experience (or SPA experience) in airplanes of similar size and performance or, in all other cases, at least six landings; - At least one full-stop landing; and - One go-around with all engines operating.		

b Training Program Entry Requirements			
a	First type rating for a multi-pilot airplane experience and prerequisites requirements. Applicants for the issue of the first type rating for a multi-pilot airplane:		
	Shall be student pilots currently undergoing training on an MPL training course; or		
	Shall, before starting the type rating training course, comply with the following requirements:		
	- Have at least 70 hours of flight experience as PIC in airplanes.		
	- Hold or have held a multi-engine IR(A)		
	- Have passed the ATPL(A) theoretical knowledge examinations in accordance with CAR FCL.		
	- Except when the type rating course is combined with an MCC course: <ul style="list-style-type: none"> • Hold a certificate of satisfactory completion of an MCC course in airplanes; or • Hold a certificate of satisfactory completion of MCC in helicopters and have more than 100 hours of flight experience as pilots of multi-pilot helicopters; or • Have at least 500 hours as pilots of multi-pilot helicopters; or • Have at least 500 hours as pilots in multi-pilot operations on single-pilot multi-engine airplanes, in commercial air transport in accordance with the applicable air operations requirements; and 		
	- Have completed the training course specified in point FCL. 745.A (Advanced UPRT course (A)), unless they comply with any of the following: <ul style="list-style-type: none"> • They completed, within the preceding 3 years, the training and checking in accordance with CAR OPS 1.945 (Conversion training and checking) and CAR OPS 1.965 (Recurrent training and checking); • They have completed the training specified in point FCL.915(e)(1)(ii) (Qualified instructors for Advanced UPRT course (A)) 		
b	A pilot undertaking instruction at a ZFTT course shall have completed, on a multi-pilot turbo-jet airplane certificated to the standards of CS-25 or equivalent airworthiness code or on a multi-pilot turbo-prop airplane having a maximum certificated take-off mass of not less than 10 tonnes or a certificated passenger seating configuration of more than 19 passengers, at least: - if an FFS qualified to level CG, C or interim C is used during the course, 1 500 hours flight time or 250 route sectors; - if an FFS qualified to level DG or D is used during the course, 500 hours flight time or 100 route sectors.		

3.2 Type Rating Instructor (TRI) (A)MPA Training Program

a Training Program Contents			
(1)	An applicant for an instructor certificate shall have completed a course of theoretical knowledge and flight instruction at an ATO. The TRI training course shall be conducted in the aircraft only if no FSTD is available and accessible and shall include:		
	- 25 hours of teaching and learning.		
	- 10 hours of technical training, including revision of technical knowledge, the preparation of lesson plans and the development of classroom/ simulator instructional skills.		
	- 5 hours of flight instruction on the appropriate aircraft or an FSTD representing that aircraft for single-pilot aircraft and 10 hours for multi-pilot aircraft or an FSTD representing that aircraft.		
(2)	Applicant for an instructor certificate shall pass an assessment of competence in the appropriate aircraft category, in the relevant class or type or in the appropriate FSTD, to demonstrate to an examiner qualified in accordance with Subpart K of CAR FCL ability to instruct a student pilot to the level required for the issue of the relevant license, rating or certificate. This assessment shall include: - The demonstration of the competencies during pre-flight, post flight and theoretical knowledge instruction; - Oral theoretical examinations on the ground, pre-flight and post-flight briefings and in-flight demonstrations in the appropriate aircraft class, type or FSTD; - Exercises adequate to evaluate the instructor's competencies		
(3)	TRI(A) Specific training, as applicable: - Additional specific training before conducting LIFUS. The applicant for a TRI(A) certificate should receive instruction on LIFUS training in an FSTD and in airplane.		
	- Additional specific training before conducting landing training. That training in the FSTD shall include training for emergency procedures related to the aircraft. The applicant for a TRI(A) certificate should receive instruction on landing training in an FSTD and in airplane.		
(4)	Applicants holding or having held an instructor certificate shall be fully credited towards the requirement of the 25 hours of teaching and learning		



Civil Aviation Authority - Sultanate of Oman
Flight Safety Department - Personnel Licensing Section
Foreign ATO Approval Assessment Checklist - Airplane MPA
(Alternative Approval Process)

No.	Checklist A - ATO Assessment (ICAO Annex 1 Appendix 2)	YES	NO
-----	--	-----	----

b	Training Program Entry Requirements		
(1)	Applicants for the issue of an instructor certificate shall be at least 18 years of age		
(2)	Applicants for the issue of or holders of an instructor certificate with privileges to conduct flight instruction in an aircraft shall:		
	- For license training, hold at least the license for which flight instruction is to be given.		
	- For a rating training, hold the relevant rating for which flight instruction is to be given.		
	- Have completed at least 15 hours of flight time as pilots of the class or type of aircraft on which flight instruction is to be given, of which a maximum of 7 hours may be in an FSTD representing the class or type of aircraft, if applicable; or - Passed an assessment of competence for the relevant category of instructor on that class or type of aircraft; and - Be entitled to act as PIC in the aircraft during such flight instruction.		
(3)	Hold a CPL, MPL or ATPL pilot license on airplane		
(4)	Have completed 1 500 hours flight time as a pilot on multi-pilot airplanes; and		
(5)	Have completed, within the 12 months preceding the date of application, 30 route sectors, including take-offs and landings, as PIC or co-pilot on the applicable airplane type, of which 15 sectors may be completed in an FFS representing that type.		

3.3	Type Rating Examiner (TRE) (A)MPA Training Program
-----	--

a	Training Program Contents		
(1)	An applicant for an examiner certificate shall undertake a standardization course in accordance with CAR FCL.1015 which is provided by the CAA or which is provided by an ATO/operator and approved by the CAA.		
	- The standardization course should be at least 3 days, divided into theoretical training (1 day) and practical training in an FFS conducting real or role-played proficiency checks, skill tests or assessments of competence (at least 2 days).		
	- Theoretical training. Instruction on the applicable requirements in this Regulation and the applicable air operations requirements, the conduct of skill tests, proficiency checks and assessments of competence, and their documentation and reporting, a briefing on the CAA administrative procedures, requirements for protection of personal data, liability, accident insurance and fees and an instruction on how to get access to these national procedures and requirements		
(2)	- Practical training. The conduct of at least 2 skill tests, proficiency checks or assessments of competences for the licenses, ratings or certificates for which the applicant seeks the privilege to conduct tests and checks including briefing, conduct of the skill test and proficiency check, assessment of the applicant to whom the test or check is given, debriefing and recording or documentation under the supervision of an examiner of the appropriate category on the applicable type		
	Applicants for an examiner certificate shall demonstrate their competence with requirements laid down in CAR FCL.1020 to an inspector from the CAA or a senior examiner specifically authorized to do so by the CAA through the conduct of a skill test, proficiency check or assessment of competence in the examiner role for which privileges are sought, including briefing, conduct of the skill test, proficiency check or assessment of competence, and assessment of the person to whom the test, check or assessment is given, debriefing and recording documentation. - Applicants for an examiner certificate shall demonstrate compliance with requirements laid down in CAR FCL.1010 "relevant knowledge to the privileges of an examiner". - Applicants for an examiner certificate shall demonstrate compliance with the requirements laid down in CAR FCL.1030.		

b	Training Program Entry Requirements		
(1)	Holders of an examiner certificate shall hold an equivalent license, rating or certificate to the ones for which they are authorized to conduct skill tests, proficiency checks or assessments of competence and the privilege to instruct for them.		
(2)	Holders of an examiner certificate shall be qualified to act as PIC in the aircraft during a skill test, proficiency check or assessment of competence if conducted on the aircraft.		
(3)	Applicants for an examiner certificate shall demonstrate that, they have not been subject to any sanctions, including the suspension, limitation or revocation of any of their licenses, ratings or certificates issued in accordance with this Regulation for non-compliance with Civil Aviation Law and Regulation during the last 3 years.		
(4)	Hold ATPL and a TRI certificate for the applicable type		
(5)	Examiner applicant shall have completed 1500 hours of flight time as a pilot of multi-pilot airplanes of which at least 500 hours shall be as PIC		
(6)	For the initial issue of a TRE certificate, have completed at least 50 hours of flight instruction as a TRI, FI or SFI in the applicable type or an FSTD representing that type.		



Civil Aviation Authority - Sultanate of Oman
Flight Safety Department - Personnel Licensing Section
Foreign ATO Approval Assessment Checklist - Airplane MPA
(Alternative Approval Process)

No.	Checklist A - ATO Assessment (ICAO Annex 1 Appendix 2)	YES	NO
4.0 Quality Assurance System			
4.1	The training organization shall establish a quality assurance system, acceptable to the Licensing Authority granting the approval, which ensures that training and instructional practices comply with all relevant requirements		
5.0 Facilities			
5.1	The facilities and working environment shall be appropriate for the task to be performed and be acceptable to the Licensing Authority.		
5.2	The training organization shall have, or have access to, the necessary information, equipment, training devices and material to conduct the courses for which it is approved		
5.3	Synthetic training devices shall be qualified according to requirements established by the State and their use shall be approved by the Licensing Authority to ensure that they are appropriate to the task		
6.0 Personnel			
6.1	The training organization shall nominate a person responsible for ensuring that it is in compliance with the requirements for an approved organization		
6.2	The organization shall employ the necessary personnel to plan, perform and supervise the training to be conducted		
6.3	The competence of instructional personnel shall be in accordance with procedures and to a level acceptable to the Licensing Authority		
6.4	The training organization shall ensure that all instructional personnel receive initial and continuation training appropriate to their assigned tasks and responsibilities. The training program established by the training organization shall include training in knowledge and skills related to human performance		
7.0 Records			
7.1	The training organization shall retain detailed student records to show that all requirements of the training course have been met as agreed by the Licensing Authority. The records shall be kept for a minimum period of two years after completion of the training		
7.2	The training organization shall maintain a system for recording the qualifications and training of instructional and examining staff, where appropriate. The records shall be retained for a minimum period of two years after the instructor or examiner ceases to perform a function for the training organization		



Civil Aviation Authority - Sultanate of Oman
Flight Safety Department - Personnel Licensing Section
Foreign ATO Approval Assessment Checklist - Airplane MPA
(Alternative Approval Process)

No	Checklist B - Type Rating(A) MPA Training Events Assessment (CAR FCL Appendix 9 Para B)	YES	NO
1.0	Section 1 - Flight preparation		
1.1	Performance calculation		
1.2	Airplane external visual inspection; location of each item and purpose of inspection		
1.3	Cockpit inspection		
1.4	Use of checklist prior to starting engines, starting procedures, radio and navigation equipment check, selection and setting of navigation and communication frequencies		
1.5	Taxiing in compliance with ATC instructions or instructions of instructor		
1.6	Before take-off checks		
2.0	Section 2 - Take-offs		
2.1	Normal take-offs with different flapsettings, including expedited take-off		
2.2*	Instrument take-off; transition to instrument flight is required during rotation or immediately after becoming airborne		
2.3	Crosswind take-off		
2.4	Take-off at maximum take-off mass (actual or simulated maximum take-off mass)		
2.5	Take-offs with simulated engine failure:		
2.5.1*	shortly after reaching V2		
2.5.2*	between V1 and V2		
2.6	Rejected take-off at a reasonable speedbefore reaching V1		
3.0	Section 3 - Flight maneuvers and procedures		
3.1	Manual flight with and without flightdirectors		
3.1.1	At different speeds (including slow flight) and altitudes within the FSTD training envelope		
3.1.2	Steep turns using 45° bank, 180° to360° left and right		
3.1.3	Turns with and without spoilers		
3.1.4	Procedural instrument flying and maneuvering including instrument departure and arrival, and visual approach		
3.2	Tuck under and Mach buffets (if applicable), and other specific flight characteristics of the airplane (e.g. Dutch Roll)		
3.3	Normal operation of systems andcontrols engineer's panel (if applicable)		
3.4	Normal and abnormal operations offollowing systems.		
3.4.0	Engine (if necessary propeller)		
3.4.1	Pressurization and air conditioning		
3.4.2	Pitot/static system		
3.4.3	Fuel system		
3.4.4	Electrical system		
3.4.5	Hydraulic system		
3.4.6	Flight control and trim system		
3.4.7	Anti-icing/de-icing system, glare shieldheating		
3.4.8	Autopilot/flight director		
3.4.9	Stall warning devices or stall avoidance devices, and stability augmentationdevices		
3.4.10	Ground proximity warning system, weather radar, radio altimeter, transponder		
3.4.11	Radios, navigation equipment, instruments, FMS		
3.4.12	Landing gear and brake		
3.4.13	Slat and flap system		
3.4.14	Auxiliary power unit (APU)		
3.6	Abnormal and emergency procedures:		
3.6.1	Fire drills, e.g. engine, APU, cabin, cargo compartment, flight deck, wing and electrical fires including evacuation		
3.6.2	Smoke control and removal		
3.6.3	Engine failures, shutdown and restart ata safe height		
3.6.4	Fuel dumping (simulated)		
3.6.5	Wind shear at take-off/landing		
3.6.6	Simulatedcabin pressure failure/emergency descent		
3.6.7	Incapacitation of flight crew member		
3.6.8	Other emergency procedures as outlined in the appropriate airplane flight manual (AFM)		
3.6.9	TCAS event		



Civil Aviation Authority - Sultanate of Oman
Flight Safety Department - Personnel Licensing Section
Foreign ATO Approval Assessment Checklist - Airplane MPA
(Alternative Approval Process)

No	Checklist B - Type Rating(A) MPA Training Events Assessment (CAR FCL Appendix 9 Para B)	YES	NO
3.7	Upset recovery training		
3.7.1	Recovery from stall events in: - take-off configuration - clean configuration at low altitude - clean configuration near maximum operating altitude; and - landing configuration		
3.7.2	The following upset exercises: - recovery from nose-high at various bank angles; and - recovery from nose-low at various bank angles		
3.8	Instrument flight procedures		
3.8.1*	Adherence to departure and arrival routes and ATC instructions		
3.8.2*	Holding procedures		
3.8.3*	3D operations to DH/A of 200 ft (60 m) or to higher minima if required by the approach procedure		
3.8.3.1*	Manually, without flight director		
3.8.3.2*	Manually, with flight director		
3.8.3.3*	With autopilot		
3.8.3.4*	Manually, with one engine simulated inoperative during final approach, either until touchdown or through the complete missed approach procedure (as applicable), starting: - before passing 1000 ft above aerodrome level; and - after passing 1000 ft above aerodrome level		
3.8.4*	2D operations down to the MDH/A		
3.8.5	Circling approach under the following conditions: - * approach to the authorized minimum circling approach altitude at the aerodrome in question in accordance with the local instrument approach facilities in simulated instrument flight conditions; followed by: - circling approach to another runway at least 90° off centerline from the final approach used in item (a), at the authorized minimum circling approach altitude.		
3.8.6	Visual approaches		
4.0	Section 4 - Missed approach procedures		
4.1	Go-around with all engines operating* during a 3D operation on reaching decision height		
4.2	Go-around with all engines operating* from various stages during an instrument approach		
4.3	Other missed approach procedures		
4.4*	Manual go-around with the critical engine simulated inoperative after an instrument approach on reaching DH, MDH or MAPt		
4.5	Rejected landing with all engines operating: - from various heights below DH/MDH - after touchdown (balked landing)		
5.0	Section 5 - Landings		
5.1	Normal landings* with visual reference established when reaching DA/H following an instrument approach operation		
5.2	Landing with simulated jammed horizontal stabilizer in any out-of-trim position		
5.3	Crosswind landings (aircraft, if practicable)		
5.4	Traffic pattern and landing without extended or with partly extended flaps and slats		
5.5	Landing with critical engine simulated inoperative		
5.6	Landing with two engines inoperative: - airplanes with three engines: the center engine and one outboard engine as far as practicable according to data of the AFM; and - airplanes with four engines: two engines at one side		
6.0	Section 6 - Additional authorisation on a type rating for instrument approaches down to a DH of less than 60 m (200 ft) (CAT II/III)		
6.1*	Rejected take-off at minimum authorized runway visual range (RVR)		
6.2*	CAT II/III approaches: in simulated instrument flight conditions down to the applicable DH, using flight guidance system. Standard procedures of crew coordination (task sharing, call-out procedures, mutual surveillance, information exchange and support) shall be observed.		
6.3*	Go-around: after approaches as indicated in 6.2 on reaching DH. The training shall also include a go-around due to (simulated) insufficient RVR, wind shear, aeroplane deviation in excess of approach limits for a successful approach, ground/airborne equipment failure prior to reaching DH, and go-around with simulated airborne equipment failure.		
6.4*	Landing(s). With visual reference established at DH following an instrument approach. Depending on the specific flight guidance system, an automatic landing shall be performed.		